

Trittico[®] Evo 610

Revolutionary made in Italy technology for gelato, pastry and chocolate production

air + water cooled















Trittico® Executive Evo is the most complete pastry lab

that thanks to its advanced features can make all your pastry fillings as well as temper chocolate and make pâte a choux. For chocolate it perfectly works as a discountinous chocolate tempering machine with programs for dark, milk and white chocolate.

Trittico® Executive Evo is a fully equipped workshop to optimize production, standardize recipes and quality.

Technical features

- · Ingredients can be added during each heating or freezing phase
- Double inverter for upper tank stirrer with 3 speeds and batch-freezer mixer with 8 speeds
- · Sheet resistance heating system: very quick heating process, no thermal hysteresis, high temperature precision, product never burns
- Patented ionic® System control: it detects the right percentage of frozen water in the mixture in order to obtain the proper gelato/ sorbet consistency and volume
- Thermal shock due to fast temperature decrease from 85°C to 4°C: it allows the highest sanitizing of the product and the highest hygiene of the mixture
- · Software programmed with multiple recipes
- · Special whisk to whip
- · Chute for direct extraction

Advantages and strengths

- · Very easy and convenient product loading
- · Mixing speed can be changed either automatically or manually
- · Fast washing operations
- · Max hygene
- · Extremely easy to handle and clean




Trittico Evo 610

Revolutionary made in Italy technology for gelato, pastry and chocolate production

air + water cooled

| Model: |
|------------|
| Quantity: |
| Project: |
| Company: |
| Contact: |
| Dealer ID: |

| | -B- | MAX 5M 30 CM | 1 |
|----------------------------------|-----|--|-----|
| | | | -A- |
| -E- (optional) -D- (optional) | | 0000 0000 0000 0000 0000 0000 | |
| | | 0000 0000 0000 0000 0000 0000 0000 0000 | |
| | -C- | | |



| Width (A) | cm | 61 | inches | 24 | |
|---|--|------------|--------|--------------|--|
| Depth (B) | cm | 95 | inches | 37,4 | |
| Depth with base (C) | cm | 102,5 + 30 | inches | 40,3 +11,8 | |
| Height (H) | cm | 141 | inches | 55,5 | |
| Mixer in position (D)* | cm | 170 | inches | 66,9 | |
| Lifted Mixer (E)* | cm | 188 | inches | 74 | |
| Weight | For air machines the weight is detected at the moment of the shipment. | | | | |
| Frame type | floor mode | | | | |
| Outer panels | stainless steel | | | | |
| Capacity per cycle | Liters | 10 | Gal | 2,64 | |
| Max. hourly production for gelato | Liters | 60 | Gal | 15,8 | |
| Max. hourly production for pastry | based on the product that has to be produced | | | | |
| Min. mix per cycle | Kg | 4 | Lbs | 8,8 | |
| Max. mix per cycle | Kg | 8 | Lbs | 17,6 | |
| Volume cylinder with mixer | Liters | 15,83 | Quarts | 16,73 | |
| Volume cylinder without mixer | Liters | 16,64 | Quarts | 17,58 | |
| Stirrer speed | 3 speeds from 30 to 140 RPM | | | | |
| Mixer speed | 8 speeds from 20 to 300 RPM | | | | |
| Max power | kw | 12,6 | Нр | 16,9 | |
| Voltage | 230 Volt / 60 Hz / 3 phase | | | | |
| Breaker size | Amp 60 | | | | |
| Stirrer motor | kw | 0,21 | Нр | 0,28 | |
| Drive motor | kw | 4,8 | Нр | 6,5 | |
| Compressor power | kw | 2,8 | Нр | 3,8 | |
| Compressor power | BTU/h 9349 | | | | |
| Freon R404A | Gr | 4600 | Oz | 162,26 | |
| Refrigeration condensation | Air + Water | | | | |
| Water connection | Ø | | inches | 1/2 | |
| Min. water pressure | bar | 2 | Psi | 29 | |
| Max. water pressure | bar | 3 | Psi | 43,5 | |
| Crate dimensions machine ** | cm | 110x80x178 | inches | 43,3x31,5x70 | |
| | | | | | |





Warranty: valid for the North American Continent (Canada, USA)
Extension: 12 months parts (with check list and warranty signed and mailed)
5 years compressor with registration on warranty.bravonorthamerica.com

* Optional
** The dimension of the crate for the remote condenser are provided at the moment of the shipment.

965

Crate weight